



2024 HANGKE Light Source Collection

Light Excellence Everywhere



More Than Lighting

HANGKE Inside Big Difference

Innovation | Technology | Art | Sustainable



Headquarter Hangzhou

HANGKE Headquarter
Showroom
Business Centre
Product Design Centre



LED R&D, Production

30,000 m² Area
Laboratory
LED Packaging
Capacity: 50M PCS / Month




Manufacturing Centre

40,000 m² Area
Bulb & Luminaires Production
Bulb Capacity 10M PCS / Month
R&D Centre

20 Years Of LED Industry Experience

From LED packaging to the whole bulb production process





LED Component

Light Source

Luminaire



Vertical Chain



- 32 Production Assembly Lines
- 3 Full-Automatic Production Lines

LED Semiconductor Production

HANGKE



Team & Facility



- ✓ **Over 600+ employees**
- ✓ **Over 50+ engineers R&D team**
- ✓ **Over 10+ designer team**



01 | Failure Analysis



02 | Power Development



03 | Photoelectric Test



04 | Environment Simulation



05 | Life Span Test



06 | Materials Analysis

HANGKE

DRIVING INNOVATION



Patents Layout

30⁺

Over 30 EU
design
patents

20⁺

Over 20
invention
patents

60⁺

Over 60
utility model
patents

50⁺

Over 50
design
patents

10⁺

Over 10 NA
invention and
design patents

HANGKE global 170+ patent layout
provide full protection for partner



Truefila Series Bulb

Hangke - Light Excellence Everywhere

HANGKE Truefila Tech*

HANGKE - Light Excellence Everywhere

Bulb Evolution Chart

Traditional
Incandescent



Compact
Fluorescent



SMD Bulb



LED Filament
Light Bulb




TRUEFILA™



Closest to
Tungsten Bulb



Unparalleled
Lighting Effects



TRUEFILA™ is the future

HANGKE



Design Award Winner



**MUSE DESIGN AWARDS
2022 WINNER**



**A' DESIGN AWARDS
2022 WINNER**

Compared with Filament Bulb




Filament Bulb



TRUEFILATM

Filament Key Tech



HANGKE more than 10 years of packaging experience provides best packaging quality, Truefila products are able to use MiniLED technology. Filament packaging uses flip-chip and copper foil metal base film. This kind of packaging is highly flexible, suitable for thermal conductivity of the filament part.

Chip

The chip is precoated fluorescent powder can prevent blue light from overflowing and ensure the light health and safety of users when used.

Base Film

The base film is made of silicone material with high light transmittance, high temperature resistance and high flexibility

Truefila Patents





Hangke is the inventor, patent holder, trademark designer and holder of the Truefila ultra-fine flexible filament light bulb.












TRUEFILA™

Serial Number 90349903

NO 008287833-(0001~0007)



NO 008676878-(0001~0009)



Truefila Series Bulb*

HANGKE - Light Excellence Everywhere

Truefila Products Range



As Light Source



As Deco Lighting

Multiple Filament Shape



W Shape



I Shape



S Shape



8 Shape



M Shape



7 Shape



U Shape



Hook Shape







- ✓ **Ra 80**
- ✓ **CCT can be from 2200K to 6500K**
- ✓ **Globe can be G80 / G95 / G125**
- ✓ **Max Lumen: 806lm**

Shape	Filament Shape	Color	Lumens	CCT	CRI	Lifetime
B35	8 / S / W	Clear	250	2700K	80	15000H
G45	8 / S / W	Clear	250			
A60	S / W	Clear	470			
ST64	S / W	Clear	470			
	I	Clear	806	2200K		
Amber		650				
Globe	S / W	Clear	470	2700K		
	I	Clear	806			
		Amber	650	2200K		



Customizable Shape



- ✓ Ra 80
- ✓ CCT 1800K to 2200K for Amber
- ✓ Globe can be G80 / G95 / G125
- ✓ Customizable Lumen & Bulb Shape

Shape	Filament Shape	Color	Lumens	CCT	CRI	Lifetime
B35	8 / S / W	Amber	150	2200K	80	15000 H
G45	8 / S / W	Amber	150			
A60	S / W	Amber	300			
	7	Smoky	100	1800K		
ST64	S / W	Amber	300	2200K		
	7	Smoky	100	1800K		
Globe	S / W	Amber	300	2200K		
	Hook	Smoky	100	1800K		
Tube	S / I	Clear	470	2700K		
	S / U / I	Amber	300	2200K		
Balloon	7	Clear	400	2700K		





Introduction of Magneto

HANGKE - Light Excellence Everywhere

2023 × PRODUCTS





Design Concept

Horizon

Hope & Brightness

Light Trail

Pure & Simplicity

Products Style

Shape



Color





Products Parameter

Shape	Color	Power	Brightness	CRI	CCT	Lifetime		
A60	Clear	1.8W	100 LM	80	2700 K	15000 H		
	Amber		80 LM		2700 K			
	Smoky		40 LM		1800 K			
ST64	Clear	2.2W	150 LM		80		2700 K	15000 H
	Amber		120 LM				2700 K	
	Smoky		60 LM				1800 K	
G80	Clear	1.8W	100 LM	80		2700 K	15000 H	
	Amber		80 LM			2700 K		
	Smoky		40 LM			1800 K		

Products Parameter

Shape	Color	Power	Brightness	CRI	CCT	Lifetime		
G95	Clear	2.2W	150 LM	80	2700 K	15000 H		
	Amber		120 LM		2700 K			
	Smoky		60 LM		1800 K			
G125	Clear	2.8W	200 LM		80		2700 K	15000 H
	Amber		150 LM				2200 K	
	Smoky		90 LM				1800 K	
G200	Clear	3W	200 LM	80		2700 K	15000 H	
	Amber		150 LM			2200 K		
	Smoky		90 LM			1800 K		





HANGKE

Geometry Series

Filament Bulb

Reinvent Lighting with Linear Light

Crown Style





Inspired by Crown

Crown Style

 HANGKE



Matrix Style



Inspired by Molecule

Matrix Style



Self-developed Filament



Creative Combination

Filaments can be combined flexibly to create more shapes and better decoration.

360° Glow

The filament emits 360°, excellent lighting effect, no shadow and graininess

Slim Filament

0.7mm width filament give exquisite appearance.



High CRI

High CRI brings a healthy and comfortable lighting environment to meet the needs of advanced visual experience.

Various CCT

1800-6500K can be selected to meet the needs of more scenarios.

High Efficiency

Higher efficiency brings lower practical cost, saving energy and protecting the environment.



Creative, Technological, Pure

Products Parameter

Crown

Vintage



Shape	Style	Base	Power (W)	EQ (W)	Size (mm)	Lumens	CRI	CCT (K)	Lifetime (H)
B35	Crown	E14	3/5	25/40	35*97	250/470	80	2700K	15000
P45	Crown	E14	3/5	25/40	45*78	250/470	80	2700K	15000
	Vintage	E14	2/3/5	15/25/40	45*78	136/250/470	80	2700K	15000
A60	Crown	E27	5/7	40/60	60*105	470/806	80	2700K	15000
	Vintage	E27	2/3/5	15/25/40	60*105	136/250/470	80	2700K	15000
ST64	Crown	E27	5/7	40/60	64*140	470/806	80	2700K	15000
	Vintage	E27	2/3/5	15/25/40	64*140	136/250/470	80	2700K	15000
G95	Crown	E27	5/7	40/60	95*137	470/806	80	2700K	15000
	Vintage	E27	2/3/5	15/25/40	95*137	136/250/470	80	2700K	15000

Products Parameter


Matrix (S)

Matrix (W)



Shape	Style	Base	Power (W)	EQ (W)	Size (mm)	Lumens	CRI	CCT (K)	Lifetime (H)
B35	Matrix(S)	E14	3/5	25/40	35*97	250/470	80	2700K	15000
	Matrix(W)	E14	3/5	25/40	35*97	250/470	80	2700K	15000
P45	Matrix(S)	E14	3/5	25/40	45*78	250/470	80	2700K	15000
	Matrix(W)	E14	3/5	25/40	45*78	250/470	80	2700K	15000
A60	Matrix(S)	E27	5/7	40/60	60*105	470/806	80	2700K	15000
	Matrix(W)	E27	5/7	40/60	60*105	470/806	80	2700K	15000
ST64	Matrix(S)	E27	5/7	40/60	64*140	470/806	80	2700K	15000
G95	Matrix(S)	E27	5/7	40/60	95*137	470/806	80	2700K	15000
	Matrix(W)	E27	5/7	40/60	95*137	470/806	80	2700K	15000





 HANGKE





White Filament

HANGKE | Reinvent Lighting with Linear Light

 HANGKE



WHITE FILAMENT PRODUCT RANGE




Classic

Classic Filament



Crown

Deco Filament



Truefila

Premium Filament

**WHITE FILAMENT
CLASSIC FAMILY**

 HANGKE



**Fit In
Any Style**

 HANGKE



PRODUCTS PARAMETER

Shape	Color	Holder	Watt(EQ)	Lumens	CRI	CCT	Lifetime
B35/BA35	Clear	E14/27	40W	470	80	4000K	15000H
	Clear	E14/27	60W	806			
G45	Clear	E14/27	40W	470			
	Clear	E14/27	60W	806			
A60 ST64 Globe	Clear	E27	40W	470			
	Clear	E27	60W	806			
	Clear	E27	75W	1055			
	Clear	E27	100W	1521			





Inspired by the white crown, elegant and pure

**WHITE FILAMENT
CROWN FAMILY**



PRODUCT PARAMETER

Shape	Color	Holder	Watt(EQ)	Lumens	CRI	CCT	Lifetime
B35/BA35	Clear	E14/27	25W	250	80	4000K	15000H
	Clear	E14/27	40W	470			
G45	Clear	E14/27	25W	250			
	Clear	E14/27	40W	470			
A60 ST64 Globe	Clear	E27	25W	250			
	Clear	E27	40W	470			
	Clear	E27	50W	650			

Premium Truefila White Range

HANGKE | Reinvent Lighting with Linear Light





A new look for decorative lighting, these clear glass LED bulbs with exposed white filament enhance any room. Their discreet, white-colored core complements any décor style, unlike yellow filaments that tend to stand out and distract. **Timeless clear glass and traditional shape give a nod to a classic design.**

**WHITE FILAMENT
TRUEFILA FAMILY**


HANGKE





**CLEAR
APPEARANCE**

HANGKE



**Thinner Filamentt
On/Off Same Appearance**

PRODUCT PARAMETER

Shape	Style	Color	Holder	Watt(EQ)	Lumens	CRI	CCT	Lifetime
B35/BA35	SS	Clear	E14/27	33W	360	80	4000K	15000H
P45	SS	Clear	E14/27	33W	360			
A60 ST64 Globe	SS	Clear	E27	40W	470			
ST64 Globe	I	Clear	E27	50W	650			



Smart Light, Smarter Life.

HANGKE - Light Excellence Everywhere

2022 HANGKE Smart Lighting Solutions



Light Your Life Smarter
with HANGKE Smart Series

What HANGKE Smart Series can do for you



Party

Match your mood to your surroundings



Entertainment

Sync your light with your media



Barbeque

Bring beauty to your backyard

Smart Series Features



Smart Series Filament Bulb

Light Excellence Everywhere

Smart Light Bulb

Our smart light bulbs have various sorts of finishes, bases, and shapes, and can be installed in any lamp shade or fixture in your home, making it easy to have a smart light in your home.



Bluetooth



zigbee

Smart Bulbs Category



Warm Glow
Smart Series



RGBW
Smart Series



RGBTW
Smart Series

Warm Glow




The more you dim, the warmer the light

Not all LEDs dim the same. HANGKE Smart Series LED Bulb with a warm glow dimming effect, dim just like traditional incandescent bulbs. Normal LED bulbs simply get less bright, without the cozy glow.



Brand	Other	HANGKE
Filament	Straight	Spiral
Feature	Dim to warm	Dim to warm
Visual	Different color of filaments separately	Two super slim filaments are combined to reduce the color difference.


100% Dim



70% Dim



40% Dim



10% Dim



Products Parameter

Bulb Type	Finish	Watt	Lumen	CCT	CRI	Base
B35/G45	Clear	2.8W	250LM	2700-6500K	80	E27
B35/G45	Clear	4.8W	470LM	2700-6500K	80	E27
B35/G45	Clear	2.8W	250LM	2700-6500K	80	E14+Plastic Part
B35/G45	Clear	4.8W	470LM	2700-6500K	80	E14+Plastic Part
A60	Clear	4.8W	470LM	2700-6500K	80	E27
A60	Clear	8.8W	806 LM	2700-6500K	80	E27
ST64	Clear	8.8W	806 LM	2700-6500K	80	E27
G80/G95/G125	Clear	8.8W	806 LM	2700-6500K	80	E27



RGBW & RGBTW



RGBW & RGBTW



Smart Control




RGBW

RGB + Single CCT White Light



RGBTW

RGB + Tunable White Light





Hangke Smart Series changing your every day. It gently wakes you up in the morning, energizes you for the day, and even gives you a warm welcome when you get home. The right light changes everything.

Create the Right Atmosphere to Match Your Mood

HANGKE



Products Parameter



Bulb Type	RGB	Finish	Watt	Lumen	CCT	CRI	Base
A60	RGBW	Clear	4.5W	300LM	RGB&2700K	80	E27
ST64	RGBW	Clear	4.5W	300LM	RGB&2700K	80	E27
G80/C95/G125	RGBW	Clear	4.5W	300LM	RGB&2700K	80	E27
A60	RGBTW	Clear	4.8W	470LM	RGB&2700-6500K	80	E27
ST64	RGBTW	Clear	4.8W	470LM	RGB&2700-6500K	80	E27
G80/C95/G125	RGBTW	Clear	4.8W	470 LM	RGB&2700-6500K	80	E27


Class A Series Ultra-Efficient Bulb

HANGKE | Reinvent Lighting with Linear Light





A-class
Rating For
Ultra Energy
Savings



HANGKE Class A Ultra-Efficient Bulb

40%

Energy Savings

Compared To Standard LED*

**Class-A bulb for savings, energy conservation,
and waste reduction.**

With up to 50,000 hours of lifespan, our bulbs offer long-lasting illumination and a 40% reduction in energy consumption. By choosing our energy-efficient bulbs, you'll save money on energy bills and contribute to lower carbon emissions.



ELEVATE EFFICIENCY TO NEW HEIGHT



Tungsten Bulb

40 Watt
10 lumen/Watt
410 lumen
1,000 hours



SMD Bulb

5.5 Watt
85 lumen/Watt
470 lumen
15,000 hours



Class A Ultra-Efficient Bulb

2.2 Watt
210 lumen/Watt
470 lumen
50.000 hours

FULL RANGE PRODUCT LINE



■ Key product parameters:

- Energy Class A
- **Bulb Shape: B/P/A/ST/G**
- **Finish: Clear/Milky**
- CCT: 2700/4000/6500K
- CRI: 80
- Lumen/Watt:



Energy Saving



Longer Lifespan



Saving Electricity Bill



≥210LM/W Ultra-Efficient

Lumen	Watt	E.W.	Efficiency
470LM	2.2W	40W	≥210 LM/W
806LM	3.8W	60W	≥210 LM/W
1055LM	5.0W	75W	≥210 LM/W
1521LM	7.2W	100W	≥210 LM/W

COMPARE WITH EXISTING PRODUCTS



Existing Products
With Plastic Parts



**HANGKE Class A
Full Glass Version
40W/60W Clear/Milky**

PRODUCTS PARAMETER

Shape	Color	Holder	Watt	Watt(EQ)	Lumens	Dim	CRI	CCT	Lifetime
C35	Clear/Milky	E14/E27	2.2W	40W	470	No	80	2700/4000/6500K	50,000H
	Clear/Milky	E14/E27	3.8W	60W	806				
P45	Clear/Milky	E14/E27	2.2W	40W	470				
	Clear/Milky	E14/E27	3.8W	60W	806				
A60 ST64 Globe	Clear/Milky	E27	2.2W	40W	470	Yes	80	2700/4000/6500K	50,000H
	Clear/Milky	E27	3.8W	60W	806				
	Clear/Milky	E27	5.0W	75W	1055				
	Clear/Milky	E27	7.2W	100W	1521				



ORBIT SERIES LIGHTING BULB

DISRUPTIVE INNOVATIVE DESIGN

HANGKE – Reinvent Lighting With Linear Light

DESIGN INSPIRATION

Discover the Orbit Series Lighting Bulbs - where technology meets cosmic beauty. Compatible with E27 lamp fixtures, these bulbs feature a spotlight and a spherical body with a metallic halo, creating a celestial ambiance. With near-invisible wires, they seem to float like celestial bodies, transforming spaces with their enchanting glow. Experience the future of illumination with the Orbit Series.



**ORBIT SERIES
NOVA - MODEL A**



LIGHTING STRUCTURE



Spotlights / Light Rings Individually On / Off

PRODUCT PARAMETER

Size: D150*H170 mm

Bulb Base: E27

Brightness: 470 / 806 LM

CCT: 2700K

Lifetime: 15000 H

Dim: Yes

CRI: 80

HANGKE



**ORBIT SERIES
NOVA - MODEL B**



PRODUCT PARAMETER

Size: D150*H170 mm

Bulb Base: E27

Brightness: 470 / 806 LM

CCT: 2700K

Lifetime: 15000 H

Dim: Yes

CRI: 80

HANGKE



**ORBIT SERIES
NOVA - MODEL C**



PRODUCT PARAMETER

Size: D150*H120 mm

Bulb Base: E27

Brightness: 470 / 806 LM

CCT: 2700K

Lifetime: 15000 H

Dim: Yes

CRI: 80



**ORBIT SERIES
NOVA FAMILY**

HANGKE



**ORBIT SERIES
PULSAR - MODEL A**



ORBIT SERIES PULSAR - MODEL A

Size: D150*H170 mm

Bulb Base: E27

Brightness: 470 / 806 LM

CCT: 2700K

Lifetime: 15000 H

Dim: Yes

CRI: 80

HANGKE



**ORBIT SERIES
PULSAR - MODEL B**



ORBIT SERIES PULSAR - MODEL B

Size: D150*H170 mm

Bulb Base: E27

Brightness: 470 / 806 LM

CCT: 2700K

Lifetime: 15000 H

Dim: Yes

CRI: 80

HANGKE



**ORBIT SERIES
PULSAR - MODEL C**



ORBIT SERIES PULSAR - MODEL C

Size: L150*W80*H170 mm

Bulb Base: E27

Brightness: 470 /806 LM

CCT: 2700K

Lifetime: 15000 H

Dim: Yes

CRI: 80



**ORBIT SERIES
PULSAR FAMILY**

HANGKE



**ORBIT SERIES
TRUMPET - MODEL A**



ORBIT SERIES TRUMPET - MODEL A

Size: D150*H105 mm

Bulb Base: E27

Brightness: 470 / 806 LM

CCT: 2700K

Lifetime: 15000 H

Dim: Yes

CRI: 80

 HANGKE



**ORBIT SERIES
TRUMPET - MODEL B**



ORBIT SERIES TRUMPET - MODEL B

Size: D150*H105 mm

Bulb Base: E27

Brightness: 470 / 806 LM

CCT: 2700K

Lifetime: 15000 H

Dim: Yes

CRI: 80

HANGKE



**ORBIT SERIES
TRUMPET - MODEL C**



ORBIT SERIES TRUMPET - MODEL C

Size: D150*H105 mm

Bulb Base: E27

Brightness: 470 / 806 LM

CCT: 2700K

Lifetime: 15000 H

Dim: Yes

CRI: 80



**ORBIT SERIES
TRUMPET FAMILY**

HANGKE



ien

Pendant Light






Lien

New DECO Light

Design by HANGKE

Lien series, a collection of linear DECO light embraces a captivating design that combines two distinct materials, resulting in a visually stunning, yet understated elegance. This unique juxtaposition creates a striking contrast that effortlessly enhances the ambiance of any interior space, making them a timeless addition to any interior design concept.





Parameter



P300

Size: Φ 300*210mm
Finish: Gradient Gray
Power: 4/12W
Brightness: 60/350LM
CRI: 80
CCT: 1800K
Lifetime: 15000H



WG200

Size: Φ D200*370mm
Finish: Gradient Gray
Power: 4/12W
Brightness: 120/350LM
CRI: 80
CCT: 1800K
Lifetime: 15000H



W250

Size: Φ D250*300mm
Finish: Gradient Gray
Power: 4/12W
Brightness: 100/350LM
CRI: 80
CCT: 1800K
Lifetime: 15000H



B300

Size: Φ D280*320mm
Finish: Gradient Gray
Power: 4/12W
Brightness: 100/350LM
CRI: 80
CCT: 1800K
Lifetime: 15000H




Parameter



P300

Size: Φ 300*210mm
Finish: Clear
Power: 2.8/8.8W
Brightness: 120/806LM
CRI: 80
CCT: 2700K
Lifetime: 15000H



WG200

Size: Φ D200*370mm
Finish: Clear
Power: 4/8.8W
Brightness: 470/806LM
CRI: 80
CCT: 2700K
Lifetime: 15000H



W250

Size: Φ D250*300mm
Finish: Clear
Power: 4/8.8W
Brightness: 300/806LM
CRI: 80
CCT: 2700K
Lifetime: 15000H



B280

Size: Φ D280*320mm
Finish: Clear
Power: 4/8.8W
Brightness: 300/806LM
CRI: 80
CCT: 2700K
Lifetime: 15000H





Glass Version





Smoky



Rose Gold




Tea Brown

Size

The same design gene,
smaller and more delicate



14 Pro



P215

Size: $\Phi 215 \times 165$ mm




W187

Size: $\Phi 187 \times 237$ mm



WG145

Size: $\Phi 145 \times 280$ mm




G200

Size: $\Phi 200 \times 268$ mm



Parameter



Color	Shape	Brightness	CRI	CCT	Lifetime				
Clear	P215	250 LM	80	2700K	15000 H				
	W187	360 LM							
	WG145	470 LM							
	G200	470 LM							
Smoky	P215	60 LM		80		1800K	15000 H		
	W187	100 LM							
	WG145	120 LM							
	G200	120 LM							
Tea Brown Rose Gold	P215	120 LM				80		1800K	15000 H
	W187	200 LM							
	WG145	250 LM							
	G200	250 LM							

Star Fall

Maglev Filament Bulb



Maglev Filament Bulb Overview



Transparent FPC Substrate

Glowing Filament

Magnetic Structure





Size & Parameter



iPhone



P215

Size: $\Phi 215 \times 165$ mm
Lumen: 20LM
CCT: 1800K



W190

Size: $\Phi 190 \times 237$ mm
Lumen: 35LM
CCT: 1800K



WG145

Size: $\Phi 145 \times 280$ mm
Lumen: 40LM
CCT: 1800K



G200

Size: $\Phi 200 \times 268$ mm
Lumen: 40LM
CCT: 1800K

Parameter



Shape	Color	Brightness	CRI	CCT	Lifetime
A60	Clear	35 LM	80	2700 K	15000 H
	Amber	25 LM		2700 K	
	Smoky	15 LM		1800 K	
ST64	Clear	50 LM		2700 K	
	Amber	40 LM		2700 K	
	Smoky	20 LM		1800 K	
G80	Clear	35 LM		2700 K	
	Amber	25 LM		2700 K	
	Smoky	15 LM		1800 K	
G95	Clear	50 LM		2700 K	
	Amber	40 LM		2700 K	
	Smoky	20 LM		1800 K	
G125	Clear	75 LM		2700 K	
	Amber	50 LM		2200 K	
	Smoky	30 LM		1800 K	

A-Par BULB

HANGKE | Reinvent Lighting with Linear Light





Optical Lens

A-Par Bulb

A Disruptive Innovation

A-PAR OPTICAL LENS BULB



Multi-light Distribution

- Spotlight Downward
- Side Lighting
- Upward Lighting

High-quality Filament

- Integrally Filament Substrate
- Shaped By Automatic Machine
- No Welding, High Reliability


Optical Lens Design

- 2 Beam Angle Option
- Spotlight 40° / Par Bulb
- Floodlight 110° / BR Bulb

40° Version



110° Version



2 BEAM ANGLE OPTIONS

40° Spotlight Bulb




- Provides a narrow and focused beam angle
- Creating a more visually appealing lighting effect
- Minimizing light spillage
- Reducing unwanted glare

110° Floodlight Bulb



- Wide coverage area
- Reducing dark area
- Improving overall visibility
- Provide general ambient lighting

BEAUTIFUL A-PAR LIGHT SPOT



PRODUCT PARAMETER

Model	SKU	Color	Lumens	CCT	Ra	Base	Voltage	Function	Cert
A-Par 40°	A60-470LM-40D	Clear	470	2700/3000/5000K	80	E27	220-240V	Dim	CE
A-Par 110°	A60-470LM-110D		470						
A-Par 40°	A60-806LM-40D		806						
A-Par 110°	A60-806LM-110D		806						
A-Par 40°	A60-1055LM-40D		1055						
A-Par 110°	A60-1055LM-110D		1055						



Address:

No. 33, Xianxing Road, Xianlin Street, Yuhang
District, Hangzhou, Zhejiang Province

Tel:

+86 0571 89986666

Fax:

+86 0571 88270000

E-mail:

Info@hkled.com

Website:

ByHangke.com